

## 6 BURNER GAS RANGE ON ELECTRIC OVEN AND NEUTRAL CUPBOARD

Project: .....  
Rev.: .....  
Zone: .....  
Location: .....



CODE  
CR1015699

MODEL  
Q90PCF/GE1201

SERIE  
QUEEN 9

### GENERAL FEATURES

- AISI 304 stainless-steel bases and worktops, Scotch-Brite finish
- Depth of 900 mm for high power and performance
- Catalogue offers more than 350 standard models
- Worktop, base cabinet, base cabinet with doors and oven versions
- 20/10 worktop thickness
- Twin-piece knobs prevent infiltration of dirt and have an IPX5 water ingress protection rating
- Gas ranges having burners with various configurations and power ratings: 3.5 kW - 5.7 kW, 7 kW and 10 kW. Double-ring burners for 7 and 10 kW models
- Wide range of accessories

The knobs offer optimum grip and help the chef to have the setting controls right under his eyes. Special attention has also been paid to the knob bezel that has been expertly designed to avoid penetration of liquids and/or dirt. Thanks to the IPX5 water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.



### TECHNICAL DETAILS

#### 6 BURNER GAS RANGE ON ELECTRIC OVEN AND NEUTRAL CUPBOARD

- Fully moulded top, obtained from a large stainless steel plate;
  - Long prongs enamelled cast iron grilles to easily move pots between one burner and another; Stainless steel rod grilles are available
  - High power cast iron burners (3.5- 5.7- 7 and 10 kW);
  - Burners piezo-electric ignition available as optional
  - Stainless steel removable two-burner basin accessory
- Electric oven
- Independently adjustable stainless steel heating elements on the top and below the cooking area base plate
  - Thermostatic control of range temperature from 100°C to 300°C;
  - "Powered appliance" indicator light;
  - "Set temperature reached" indicating light

## 6 BURNER GAS RANGE ON ELECTRIC OVEN AND NEUTRAL CUPBOARD

CODE  
CR1015699

MODEL  
Q90PCF/GE1201

SERIE  
QUEEN 9

### TECHNICAL INFORMATION

| SPECIFICATIONS                | DATA                         |
|-------------------------------|------------------------------|
| CODE                          | CR1015699                    |
| DEFINITION                    | Q90PCF/GE1201 6F C/FORNO ELE |
| MODEL                         | Q90PCF/GE1201                |
| COMMERCIAL LINE               | QUEEN                        |
| SUPPLY                        | MISTA                        |
| WIDTH                         | 1200 MM                      |
| DEPTH                         | 900 MM                       |
| HEIGHT                        | 870 MM                       |
| NET WEIGHT                    | 162,000                      |
| VOLUME                        | 0,940 M3                     |
| PACKAGING LENGTH              | 1260,000                     |
| PACKAGING WIDTH               | 10200,000                    |
| PACKAGING HEIGHT              | 1150,000                     |
| PACKAGING VOLUME              | 1,478                        |
| PACKAGING GROSS WEIGHT        | 190,000                      |
| POWER SUPPLY VOLTAGE STANDARD | 380-415V 2N                  |
| FREQUENCY                     | 50-60 Hz                     |
| ELECTRIC POWER                | 6,000 KW                     |
| GAS POWER (G30/30 MBAR)       | 32,40 KW                     |
| GAS POWER (G25/25 MBAR)       | 32,40 KW                     |
| IPX PROTECTION                | IPX4                         |
| CERTIFIED MODEL               | Q90PCF/GE1201                |
| CERTIFICATION NUMBER          | CE-0085BS0151                |
| POT GAS TOT / POT FRIGO2      | 32,40                        |
| CERTIFICATION                 | 0051CL3988                   |
| CERTIFICATION BODY            | 0085                         |
| TYPE                          | FORNO ELETTRICO              |
| NUMBER OF MODULES             | 1/1+1/2 MODULO               |

## 6 BURNER GAS RANGE ON ELECTRIC OVEN AND NEUTRAL CUPBOARD

|                   |                        |                  |
|-------------------|------------------------|------------------|
| CODE<br>CR1015699 | MODEL<br>Q90PCF/GE1201 | SERIE<br>QUEEN 9 |
|-------------------|------------------------|------------------|

### ACCESSORIESES

| CODE           | MODEL     | DESCRIPTION   |
|----------------|-----------|---|
| BN418031910030 | PRL       | PIASTRA RADIANTE LISCIA MONOFUOCO SERIE 900             |
| BN418031910040 | PRR       | PIASTRA RADIANTE RIGATA MONOFUOCO SERIE 900             |
| BN418031920020 | 9GF       | CHROMED WIRE GRID PER FORNO SERIE 900                   |
| BN418031910180 |           |   |
| CR1353959      | CR1353959 | GRIGLIA INOX BIFUOCO                                    |
| BN41C1500086   | ACC2FP    | ELECTRIC IGNITION - 2 BURNERS                           |
| BN41C1500087   | ACC4FP    | ELECTRIC IGNITION - 4 BURNERS                           |
| BN41C1700144   | ACC6FP    | ELECTRIC IGNITION - 6 BURNERS                           |
| ACC8FP         | ACC8FP    | ELECTRIC IGNITION - 8 BURNERS                           |
| CR1018839      | QP12      | PORTINA PER BASE L=400                                  |
| CR1018849      | QKC11     | KIT DRAWERS GN1/1 H150                                  |
| CR1015349      | QRG11     | SET OF TRY SLIDES GN 1/1                                |
| CR0592770      | ZA40      | FRONT PLINTH  |
| CR0982789      | ZL90      | SIDE PLINTH SERIE 900                                   |
| MA97432000     | NXR       | CASTORS KIT   |
| MA97433000     | NXRI      | CASTORS KIT   |
| CR1015369      | QCH20     | DIRECTABLE WATER FLUE                                   |
| CR0592869      | CR0592869 | KIT 4 FEET FOR CONCRETE PLINTH INSTALLATION             |
| CR1015339      | QPT       | N. 4 PIEDINI IN ACCIAIO INOX PER INSTALLAZIONE SU PIANI |
| CR0592879      | CR0592879 | KIT ANTI-TIPPING FEET                                   |
| CR0592399      | NXTVT1    | CLOSING PANEL FOR TECHNICAL SPACE                       |
| CR0592409      | NXTVT2    | CLOSING PANEL FOR TECHNICAL SPACE                       |
| CR1018879      | Q90FTDX   | FIANCO TERMINALE DESTRO QUEEN                           |
| CR1018889      | Q90FTSX   | FIANCO TERMINALE SINISTRO QUEEN                         |
| CR0980009      | CANT      | TUBULAR HANDRAIL FRONTALE (AL METRO LINEARE)            |
| CR0980019      | 9CLAT     | TUBULAR HANDRAIL LATERALE SERIE 900                     |
| BN418031900211 | 9PRD      | PIANO LATERALE RIBALTABILE DESTRO                       |
| BN418031900460 | 9PFD      | PIANO LATERALE FISSO DESTRO                             |
| BN418031900221 | 9PRS      | PIANO LATERALE RIBALTABILE SINISTRO                     |
| BN418031900470 | 9PFS      | PIANO LATERALE FISSO SINISTRO                           |
| BN418031900121 | 9KR       | KIT STATIC WARMER                                       |

## 6 BURNER GAS RANGE ON ELECTRIC OVEN AND NEUTRAL CUPBOARD


CODE  
CR1015699

MODEL  
Q90PCF/GE1201

SERIE  
QUEEN 9

# QUEEN

## PRODUCT'S RANGE PLUS




Fully moulded top, obtained from a large stainless steel plate.




Long prongs enamelled cast iron grilles to easily move pots between one burner and another.



High power cast iron burners 3.5-5.7- 7 and 10 kW.



Thanks to the IPX5 water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.



Protected pilot flame, with easily washable protection.



The front bar is a comfortable place for the chef to lean on; it means you will remain at a safe distance from the worktop and therefore protects from accidentally knocking against both items lying on the worktop and the knobs.


# 6 BURNER GAS RANGE ON ELECTRIC OVEN AND NEUTRAL CUPBOARD

CODE  
CR1015699

MODEL  
Q90PCF/GE1201

SERIE  
QUEEN 9

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



## Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

|  |   |
|--|---|
| <p><b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico</p>   | <p><b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás<br/><b>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</b></p> |
| <p><b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água</p>  | <p><b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água</p>                                   |
| <p><b>S1</b> Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba</p>  | <p><b>A1 =</b> Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno<br/><b>A2 =</b> Fredda - Kalt - Cold - Froid - Fria - Koude - Frio</p>                               |
| <p><b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão</p>  |   |
| <p><b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto</p> |   |
| <p><b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno</p>   | <p><b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível</p>  |